

The following table indicates which Local web GUI Configurable parameters are managed by Insight (mobile app and Cloud Portal)

NOTE: This list is subject to change without notice. Not all features shown available on all models.

<http://www.netgear.com/support/product/Insight.aspx#docs>

*Insight Managed Parameter		*New in IM5.5									
Top Level Local Web GUI Tab	Second Level Local Web GUI Tab	Third Level - Left Column	Fourth Level - Left Column Sub-section	Local Web GUI Main Navigation Pane							
System Level Settings	Management	System Information		Management Mode	System Name	System Location	System Contact				
		System CPU Status		Rising Threshold	Rising Interval	Falling Threshold	Falling Interval	Free Memory Threshold			
		IP Configuration		Configuration Protocol	IP Address	Subnet Mask	Default Gateway	Management VLAN ID			
		IPv6 Network Configuration		Admin Mode	Auto Configuration Mode	Configuration Protocol	Gateway	IPv6 Network Interface	EUI64		
		Time		Time Configuration	Clock Source	Date	Time	SNTP Client Mode Configuration	Port	Unicast Poll Interval	Broadcast Poll Interval
		Sntp Server Configuration		Unicast Poll Retry	Time Zone Name	Offset hours	Offset Minutes				
		Daylight Saving Configuration		Server Type	Address	Port	Priority	Version			
		Denial of Service		Begins At (M/D/Y, hours, minutes)	Ends At (M/D/Y, hours, minutes)	Offset	Zone				
		Auto DoS		Auto DoS Configuration/Mode							
		DoS Configuration		DNS Min TCP Header Size	DoS ICMPv4	DoS Max ICMPv4 Packet Size	DoS ICMPv6	DoS Max ICMPv6 Packet Size	DoS First Fragment	DoS ICMP Fragment	DoS SIP=DIP
		DNS		DNS TCP FIN&URG&PSH	DNS TCP Flag & Sequence	DNS TCP Fragment	DNS TCP Offset	DNS TCP Port	DNS TCP SYN	DNS TCP SYN & FIN	DNS UDP Port
		Green Ethernet (Global) Configuration		Host Configuration	Status	DNS Default Name	Server(s)	Host Configuration			
		Interface Configuration (per port)		Host Name	IPv4/IPv6 Address						
		Detail (Local Device Info) (per port)		Auto Power Down Mode	EEE Mode						
		LPI History (per port)		Energy Detect Admin Mode	EEE Admin Mode	EEE Transmit Idle Time	EEE Transmit Wake Time				
		Bonjour		Sampling Interval	Max samples to keep						
		LED Control		Bonjour Configuration	Enable/Disable						
		PoE		LED System LEDs	Port LEDs						
		PoE Configuration		PoE Configuration	System Usage Threshold	PWR Mgmt Mode					
		PoE Trap Configuration		PoE Trap Configuration	Traps						
		PoE Port Configuration		PoE Port Configuration	Port Power	Port Priority	Power Mode	Power Limit Type	Power Limit (W)	Detection Type	Timer Schedule
SNMP	SNMP V1/V2		Community Configuration	Management Station IP	Management Station IP Mask	Community String	Access Mode	Status			
	Trap Configuration		Recipients IP	Version	Community String	Status					
	Trap Flags		Authentication	Link Up/Down	Spanning Tree	ACL	PoE				
LLDP	SNMP V3		User Configuration	SNMP V3 Access Mode	Authentication Protocol	Encryption Protocol	Encryption Key				
	LLDP		LLDP Configuration	TLV Advertised Interval	Hold Multiplier	Reinitializing Delay	Transmit Delay	Fast Start Duration			
	LLDP Port Settings (per port)		LLDP Port Settings (per port)	Admin Status	Management IP Address	Notification	Optional TLVs				
Services	Local Information		Device Information	Port Information							
	Neighbors Information		Neighbors Information								
	LLDP-MED Port Settings (per port)		LLDP-MED Status	Notification	MED Capabilities	Network Policy					
Timer Schedule	DHCP L2 Relay		DHCP L2 Relay Global Configuration	Admin Mode	VLAN ID	Admin Mode	Circuit ID Mode	Remote ID String			
	DHCP Snooping		DHCP L2 Relay Interface Configuration (per port)	Admin Mode	82 Option Trust Mode						
	Global Configuration		Interface Configuration (per port)	Snooping Mode	MAC Address Validation	VLAN ID	DHCP Snooping Mode				
Switching Parameters	Binding Configuration		Trust Mode	Invalid Packets	Rate Limit	Burst Interval					
	Persistent Configuration		Interface	MAC Address	VLAN ID	IP Address					
	Timer Schedule Configuration		Store (Local/Remote)	Remote IP Address	Remote Filename	Write Delay					
Ports	Global Configuration		Timer Schedule Name								
	Timer Schedule Selection		Timer Schedule Name	Timer Schedule Type	Timer Schedule Entry						
	Timer Schedule Configuration		Time Start	Time End	Date Start	Date End					
	Port Configuration		Port Configuration (per port)	Description	Admin Mode	Auto-negotiation	Speed	Duplex Mode	Link Trap	Frame Size	Flow Control
	LAG	LAG Configuration (per lag)		Name	Description	Admin Mode	Hash Mode	STP Mode	Link Trap	LAG Type	
		LAG Membership		LAG Name	Ports Membership						
	LACP Configuration		LACP System Priority								
	LACP Port Configuration (per port)		LACP Priority	Timeout							
	VLAN		VLAN Configuration (per VLAN)	ID	Name	Type					
	VLAN Trunking Configuration (per port)		Switchport Mode	Access VLAN ID	Native VLAN ID	Trunk Allowed VLANs					
Auto-VoIP	VLAN Membership (per VLAN)		ID	Group Operation	Name	Type	Ports Membership	LAG Membership			
	Port PVID Configuration (per port)		PVID	VLAN Member	VLAN Tag	Acceptable Frame	Ingress Filtering	Port Priority			
	MAC Based VLAN		MAC Address	VLAN ID							
	Protocol Based VLAN Group Configuration		Group ID	Group Name	Protocol	VLAN ID					
	Protocol Based VLAN Group Membership		Group ID	Group Name	Ports Membership	LAG Membership					
	Voice VLAN Configuration		Admin Mode	Port Interface Mode	Port Value	Port CoS Overwrite Mode	Port Authentication Mode	Port DSCP Value			
	OUI-Based		Port Settings	Prioritization Type	Class Value	Port Auto VoIP Mode					
Properties		Auto-VoIP VLAN ID		OUI-based Priority							
Port Settings (per port)		Auto-VoIP Mode									
OUI Table		Telephony OUs		Description							

Top Level Local Web GUI Tab	Second Level Local Web GUI Tab	Third Level - Left Column	Fourth Level - Left Column Sub section	Local Web GUI Main Navigation Pane								
Switching Parameters (cont)	STP	STP (Advanced)	STP Configuration	STP State	STP Operation Mode	Name	Revision Level	Forward BPDU while STP Disabled				
			CST Configuration	Bridge Priority	Bridge Max Age	Bridge Forward Delay	Spanning Tree Maximum Hops					
			CST Port Configuration (per port)	STP Status	Fast Link	BPDU Forwarding	Auto Edge	Path Cost	Priority	External Port Path Cost		
			MST Configuration	MST ID	Priority	VLAN ID						
			MST Port Configuration									
	Multicast	Auto-Video	Auto-Video Configuration	Auto-Video Configuration								
		IGMP Snooping	IGMP Snooping Configuration	IGMP Snooping Configuration	Validate IGMP Header							
			IGMP Snooping Interface Configuration (per port)	Admin Mode	Host Timeout	Max Response Time	Multicast Router Timeout	Fast Leave Mode				
			IGMP Snooping VLAN Configuration (per VLAN)	ID	Admin Mode	Fast Leave Mode	Host Timeout	Max Response Time	Multicast Router Timeout	Report Suppression Mode	Query Mode	
			Multicast Router Configuration	VLAN Query Interval	Port Multicast Router							
	IGMP Snooping Querier	Multicast Router VLAN Configuration (per VLAN)	ID	Multicast Router								
		Querier Configuration	Querier Admin Mode	Snooping Querier Address	IGMP Version	Querier Interval	Querier Expiry Interval					
		Querier VLAN Configuration	VLAN ID	Querier Election Participate Mode	Snooping Querier VLAN Address							
		MLD Snooping	Configuration	MLD Snooping Admin Mode								
	L2 Loop Protection		Interface Configuration (per port)	Admin Mode	Membership Interval	Max Response Time	Expiration Time	Fast Leave				
			MLD VLAN Configuration (per VLAN)	ID	Fast Leave	Membership Interval	Max Response Time	Multicast Router Expiry Time				
			Multicast Router Configuration	Port Multicast Router								
			Multicast Router VLAN Configuration (per VLAN)	ID	Multicast Router							
(MAC) Address Table	Address Table (Advanced)	Querier Configuration	Querier Admin Mode	Querier Address	MLD Version	Querier Interval	Querier Expiry Interval					
		Querier VLAN Configuration	VLAN ID	Querier Election Participate Mode	Querier VLAN Address							
	L2 Loop Protection Configuration			Admin Mode	Transmit Interval	MAX PDU Receive	Disable Timer	Port Keep Alive	Port RX Action			
Routing	IP	IP Configuration	Routing Mode									
			Global Configuration	IPv6 Unicast Routing	Hop Limit	ICMPv6 Rate Limit Error Interval	ICMPv6 Rate Limit Burst Size					
		IPv6 (Advanced)	VLAN Configuration	IPv6 Mode	DHCPv6 Client Mode	Stateless Address AutoConfiguration Mode	Admin Mode	MTU	Duplicate Address Detection Transmits	Lifetime Interval	Advanced NS Interval	
				Advanced Reachable Interval	Advanced Interval	Advanced Managed Configuration Flag	Advanced Other Configuration Flag	Router Preference	Advanced Suppress Flag	Destination Unreachables		
				Prefix Configuration	IPv6 Interface Selection							
			Static Route Configuration	IPv6 Prefix	Prefix Length	Next Hop IPv6 Address	Next Hop IPv6 Address Type	Interface	Preference			
			Route Preference	Local	Static							
	VLAN	VLAN Routing Wizard	VLAN ID	IP Address	Network Mask	Ports Membership	LAG Membership					
			IP Address	Subnet Mask	IP MTU							
	Router Discovery	Router Discovery Configuration		Advertise Mode	Advertise Address	Maximum Advertise Interval	Minimum Advertise Interval	Advertise Lifetime	Preference Level			
	ARP	ARP (Advanced)	Route Configuration	Route Type	Network Address	Subnet Mask	Next Hop Address	Preference	Description			
			ARP Create	IP Address	MAC Address							
			Global ARP Configuration	Age Time	Response Time	Retries	Cache Size	Dynamic Renew				
			ARP Entry Management	Remove From Table	Remove IP Address							
		CoS	CoS Configuration	Global/Interface Trust Mode	Global/Interface Trust Mode Settings							
			CoS Interface Configuration (per port)	Interface Trust Mode	Interface Shaping Rate							
			Interface Queue Configuration (per port)	Queue ID	Minimum Bandwidth	Schedule Type						
	QoS	DiffServ	802.1p to Queue Mapping	Global/Interface Mode	802.1p Priority (Queues 0-7)							
			DSCP to Queue Mapping	Class Selector for Queues 0-7	Assured Forwarding Configuration	Expedited Forwarding Configuration	Other DSCP Values (Local)					
			DiffServ Configuration	Admin Mode								
			Class Configuration	Class Name	Class Type							
			IPv6 Class Configuration	Class Name	Class Type							
Security	Security	Management Security	Policy Configuration	Policy Name	Member Class							
			Service Configuration (per port)	Interface	Policy In Name							
	Access	Access	Management Security	Change Password								
			RADIUS Configuration	RADIUS Server Configuration	RADIUS Accounting Server Configuration							
			TACACS+ Configuration	TACACS+ Server Configuration								
			Authentication List									
			HTTP Configuration									
			HTTPS Configuration	Certification Management	Certificate Download							
			Access Profile Configuration	Access Rule Configuration								

Top Level Local Web GUI Tab	Second Level Local Web GUI Tab	Third Level - Left Column	Fourth Level - Left Column Sub section	Local Web GUI Main Navigation Pane							
Security	Port Authentication	Port Authentication	Port Authentication	802.1x Configuration	Port Authentication						
	Traffic Control	Traffic Control		MAC Filter Configuration							
				Storm Control Configuration	Port Setting						
				Port Security Configuration	Port Security Interface Configuration	Security MAC Address					
				Protected Port	Protected Port Membership						
				Private VLAN Type Configuration	Private VLAN Association Configuration	Private VLAN Port Mode Configuration	Private VLAN Host Interface Configuration	Private VLAN Promiscuous Interface Configuration			
	ACL	ACL	ACL	ACL Wizard	MAC ACL	MAC Rules	MAC Binding Configuration				
				IP ACL	IP Rules	IP Extended Rules	IPv6 ACL	IPv6 Rules	IP Binding Configuration		VLAN Binding Configuration
Monitoring	Ports	Ports	Ports	Cable Test	Logs	Mirroring					
Maintenance	Reset	Reset	Reset	Device Reboot	Factory Default						
	Export	Export	Export	TFTP File Export	HTTP File Export (Text Configuration)	USB File Export					
	Upgrade	Upgrade	Upgrade	TFTP File Upgrade	HTTP File Upgrade (Text Configuration)	USB File Upgrade					
	Image Management	Image Management	Image Management	Copy	Dual Image Configuration	Dual Image Status					
Troubleshooting	Troubleshooting	Troubleshooting	Ping IPv4	Ping IPv6	Traceroute IPv4	Traceroute IPv6	Remote Diagnostics	Full Memory Dump			